



ASUS TUF GAMING B760M-PLUS D4

Dostupnost: NA STANJU

MP cena: 21.190,00 din

Šifra proizovda: PLO03431

18.590,00 din

Ušteda: 2.600,00 din

Opis

Specifikacija

Priključci na zadnjem panelu

Ukupno USB
C priključaka 1

USB 3.2 priključci	1 (Tip C) Gen1, 4 (Tip A) Gen2, 1 (Tip C) Gen2x2
-----------------------	--

Unutrašnji priključci

USB 3.2	1 (podrška za 2 USB 3.2 Gen 1 porta), 1 (podrška za 1 USB 3.2 Gen 1 Tip C porta)
---------	--

Osnovne karakteristike

Procesorsko ležište (socket)	Intel 1700
------------------------------------	------------

Čipset	Intel B760
--------	------------

Memorija

Tip memorije DDR4

Memorijski slotovi	4x DDR4
-----------------------	---------

Podržane memorije	2.133MHz, 3.333Mhz (O.C.), 2.400MHz, 3.733Mhz (O.C.), 3.466Mhz (O.C.), 3.400Mhz (O.C.), 4.800Mhz, 5.000MT/s (O.C.), 4.600Mhz (O.C.), 3.000MHz, 5.000Mhz (O.C.), 3.200MHz, 5.333Mhz (O.C.), 5.066Mhz (O.C)
----------------------	---

Maksimalna ukupna memorija	128GB
----------------------------------	-------

Ostale carakteristike	Podrška za Extreme Memory Profile (XMP), OptiMem II, Dual Channel
--------------------------	---

osobine

Slotovi

PCI Express x16 slot 1x PCI Express 5.0, 1x PCI Express 4.0 (x4 mode)

PCI Express x1 slot 1x PCI Express 4.0

Skladišni interfejs

SATA priključci (ukupno)

4

SATA priključci

4 x SATA 6Gb/s

Ostali skladišni interfejs

2 x M.2_1 socket 3

RAID RAID 0, RAID 1, RAID 5, RAID 10

Mreža

Žična mreža (LAN) 1 x Realtek 2.5Gb Ethernet

Audio

Broj kanala 8 (7.1)

Model Realtek®

Napomena Audio Shielding, Premium audio capacitors, Dedicated audio PCB layers

Priključci na zadnjem panelu

DisplayPort priključci 1x DisplayPort

HDMI priključci 1

Ukupno USB priključaka 8

USB 2.0 priključci 2 (Tip A)

Audio 5x 3.5mm, 1x S/PDIF optički

Ostali priključci 1x Wi-Fi Module

Unutrašnji priključci

Naponski priključci 1 x 24 pin Main Power connector, 1 x 8-pin ATX 12V power connector, 1 x 4-pin ATX 12V power connector

USB 2.0 2 (podrška za 4 USB 2.0 porta)

USB 2.0 2 (podrška za 4 USB 2.0 porta)

Audio	1x Front panel audio
Ostali priključci	4 x SATA 6Gb/s, 1 x Thunderbolt header(s), 1 x 4-pin AIO Pump header, 3 x 4-pin Chassis Fan headers, 1 x 4-pin CPU OPT Fan header, 1 x 20-3 pin System Panel header with Chassis intrude function, 1 x 4
Napomena	Za iskorišćavanje određenih internih konektora potrebni su dodatni bracket-i ili priključci na kućištu

Ostale karakteristike

Podržane tehnologije	AURA Creator, AURA Sync, DIGI+VRM, ASUS CrashFree BIOS 3, ASUS EZ Flash 3, ASUS UEFI BIOS EZ Mode, ESD Guards, TUF LANGuard, UEFI Bios, PC Cleaner, SafeDIMM, SafeSlot Core+, ProCool, TUF Gaming CPU-Z,
-----------------------------	--

Fizičke karakteristike

Format	microATX
Dimenzije	244mm x 244mm

Reklamacioni period

Reklamacioni period	36 meseci
----------------------------	-----------