



Lenovo

NB Lenovo IdeaPad Pro 5 14 U9-285H/32GB/1TBB/14 2.8K/2Y/SRB/83JK000TYA

Dostupnost: NEMA NA STANJU

MP cena: 178.590,00 din

Šifra proizvoda: 47377

156.690,00 din

Ušteda: 21.900,00 din

Specifikacija

Procesor	Intel® Core Ultra 9 285H, 16C (6P + 8E + 2LPE) / 16T, Max Turbo do 5.4GHz, 24MB
NPU	Integriran Intel® AI Boost, do 13 TOPS
Grafika	Integrirana Intel® Arc™ 140T GPU
Cipset	Intel® SoC Platforma
Memorija	32GB Soldered LPDDR5x-8533
	Nema mogućnost nadogradnje
SSD	1TB SSD M.2 2242 PCIe® 4.0x4 NVMe®
	2x M.2 slots • 1x M.2 2242 PCIe® 4.0 x4 slot • One M.2 2280 PCIe 4.0 x4 slot
	do 2x M.2 SSD • M.2 2242 SSD do 1TB
Citac kartica	SD
Audio cip	High Definition (HD) Audio
Zvucnici	Stereo, 2W x2, optimized with Dolby Atmos®
Mikrofone	2x, Array

Kamera	FHD 1080p + IR with Privacy Shutter, ToF Sensor
Baterija	84Wh
Punjac	100W USB-C® Slim (3-pin)
Displej	14" 2.8K (2880x1800) OLED 500nits (typical) / 1100nits (peak) Glossy, 100% DCI-P3, DisplayHDR™ True Black 1000, 120Hz VRR
Tastatura	Pozadinski osvetljena, SRB lokalizacija
Touchpad	Buttonless glass surface multi-touch touchpad, supports Precision TouchPad (PTP), 80 x 135 mm (3.15 x 5.31 inches)
Dimenzije	312 x 221 x 15.5 mm
Tezina	1.39 kg
Boja	Siva
Materijal izrade kucista	Aluminijum (Gornji), Aluminijum (Donji poklopac)
Operativni sistem	Ne
WLAN + Bluetooth	Wi-Fi® 7, 802.11be 2x2 + BT5.4
WWAN	Nema
Standardni portovi	<ul style="list-style-type: none">• 1x USB-A (USB 5Gbps / USB 3.2 Gen 1)• 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), Always On• 2x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.0 and DisplayPort™ 2.1• 1x HDMI® 2.1, up to 8K/60Hz• 1x Headphone / microphone combo jack (3.5mm)• 1x SD card reader
Cip za enkripciju	Firmware TPM 2.0 Enabled

Ostalo

- Camera privacy shutter
 - IR camera for Windows® Hello (facial recognition)
-

Garancija2 godine

Sertifikati

- ErP Lot 6/26
 - RoHS compliant
-

MIL-STD-810H military test passed (21 test items)

- Eyesafe® Certified 2.0
 - TÜV Rheinland® Flicker Free
 - TÜV Rheinland® Low Blue Light (Hardware Solution)
-