



DSC

Računar DSC i5-10400F/16GB/M.2 512GB/RX 580 8GB/650W

Dostupnost: NA STANJU

MP cena: 68.390,00 din

Šifra proizovda: 49033

60.590,00 din

Ušteda: 7.800,00 din

Platforma

Intel

Tip procesora

CPU S1200 INTEL Core i5-10400F

Opis procesora

CPU S1200 INTEL Core i5-10400F 6-Core 2.9GHz Tray

Model procesora

CPU Hladnjak Xilence LGA1200 I200

Matična ploča

MB s1200 ASRock H410MH/M2 SE

Tip grafičke karte:

Zasebna

Grafička karta (opis)

SVGA AFOX Radeon RX580 8GB

Rammemorija

16GB

Opis memorije

2x RAMDDR4 8GB 3200MHz

HDD1

M2 512GB

Hard Disk (opis)

SSD M2 NVMe 512GB Kingfast F8N

HDD2 (opis)

NEMA

Mrežni interfejs

Realtek RTL8111H Gigabit LAN 10/100/1000 Mb/s

Audio

7.1 CH HD Audio (Realtek ALC897 Audio Codec)

Slotovi za proširenje

1 x PCI Express 3.0 x16 utor, 1 x PCI Express 3.0 x1 slot, 1 x M2 utičnica (tipka E), podržava tip 2230 WiFi/BT PCIe WiFi modul

Priključci na zadnjem panelu

2 x Antenna Mounting Points 1 x PS/2 Mouse/Keyboard Port 1 x D-Sub Port 1 x DisplayPort 1.2 1 x HDMI Port 2 x USB 2.0 Ports (Supports ESD Protection) 4 x USB 3.2 Gen1 Ports (Supports ESD

Protection)1 x RJ45 LAN Port with LED (ACT/LINK LED and SPEED LED)HD Audio Jacks: Line in / Front Speaker / Microphone

Priključci na prednjem panelu

USB3.0 x 1, USB2.0 x 2, HD Audio, Power, Reset

Kućiste

Kuciste Raidmax Vector 216 Black 4 x RGB fan/Window/650W

Napajanje

650W

Napajanje (opis)

Raidmax 650W

Operativni sistem

Bez sistema

-->

Specifikacija

Računar DSCL i5-10400F/16GB/M.2 512GB/RX 580 8GB/650W	
Platforma	Intel
Tip procesora	CPU S1200 INTEL Core i5-10400F
Opis procesora	CPU S1200 INTEL Core i5-10400F 6-Core 2.9GHz Tray
Model procesora	CPU Hladnjak Xilence LGA1200 I200
Maticna ploca	MB s1200 ASRock H410M-H/M2 SE
Tip grafičke karte:	Zasebna
Grafička karta (opis)	SVGA AFOX Radeon RX580 8GB
Ram memorija	16GB
Opis memorije	2x RAMDDR4 8GB 3200MHz
HDD1	M2 512GB
Hard Disk (opis)	SSD M2 NVMe 512GB Kingfst F8N

HDD2 (opis)	NEMA
Mrežni interfejs	Realtek RTL8111H Gigabit LAN 10/100/1000 Mb/s
Audio	7.1 CH HD Audio (Realtek ALC897 Audio Codec)
Slotovi za proširenje	1 x PCI Express 3.0 x16 utor, 1 x PCI Express 3.0 x1 slot, 1 x M2 utičnica (tipka E), podržava tip 2230 WiFi/BT PCIe WiFi modul
Priključci na zadnjem panelu	2 x Antenna Mounting Points 1 x PS/2 Mouse/Keyboard Port 1 x D-Sub Port 1 x DisplayPort 1.21 x HDMI Port 2 x USB 2.0 Ports (Supports ESD Protection) 4 x USB 3.2 Gen1 Ports (Supports ESD Protection) 1 x RJ-45 LAN Port with LED (ACT/LINK LED and SPEED LED) HD Audio Jacks: Line in / Front Speaker / Microphone
Priključci na prednjem panelu	USB3.0 x 1, USB2.0 x 2, HD Audio, Power, Reset
Kućiste	Kuciste Raidmx Vector 216 Black 4 x RGB fan/Window/650W
Napajanje	650W
Napajanje (opis)	Raidmx 650W
Operativni sistem	Bez sistema